

1 Spencer Kenner (SBN 148930)
James E. Mizell (SBN 232698)
Emily M. Thor (SBN 303169)
2 **DEPARTMENT OF WATER RESOURCES**
Office of the Chief Counsel
3 1416 9th St., Room 1104
Sacramento, CA 95814
4 Telephone: 916-653-5966
E-mail: jmizell@water.ca.gov

5
6 Attorneys for California Department of Water
Resources

7
8 **BEFORE THE**
9 **CALIFORNIA STATE WATER RESOURCES CONTROL BOARD**

10 **HEARING IN THE MATTER OF CALIFORNIA**
11 **DEPARTMENT OF WATER RESOURCES**
12 **AND UNITED STATES BUREAU OF**
13 **RECLAMATION REQUEST FOR A CHANGE**
14 **IN POINT OF DIVERSION FOR CALIFORNIA**
15 **WATER FIX**

OBJECTION TO MOTION BY SVWU
TO ADMIT MODELING RESULTS
INTO EVIDENCE

16 The California Department of Water Resources (“DWR”) objects to the Motion to
17 Admit Modeling Results BY DWR into Evidence that was filed by the Sacramento Valley
18 Water Users (“SVWU”) on July 25, 2018 as being duplicative and unnecessary of exhibits
19 DWR-1077.

20 SVWU is correct in describing that Petitioners relied heavily upon modeling as a
21 basis for their testimony. DWR-1077 was presented as the complete CALSIM modeling
22 underlying the testimony of DWR and was admitted into evidence on April 23, 2018. It
23 contains a complete set of CALSIM modeling results for the California WaterFix operational
24 scenario H3+, the adopted project. The materials SVWU suggests are a complete set of
25 modeling results are, in fact, a subset of the modeling results as subpoenaed by SVWU
26 and in a format dictated by SVWU, as ordered by the Hearing Officers.


27
28 Similar to the March 12, 2018 motion filed by SVWU against the entry of another

1 helpful exhibit ordered by the Board at the behest of SVWU, DWR-1143, the CALSIM
2 modeling results identified by SVWU are simply a reformatted subset of information
3 submitted as evidence by DWR. Surprise testimony, even when used to explain or validate
4 previously submitted testimony, is inappropriate and should be excluded. (Cal. Code
5 Regs., tit.23, § 648.4(a).) In their objection to DWR-1143, SVWU argued the ordered
6 information was surprise testimony and therefore impermissible even though the content of
7 DWR-1143 was contained within the evidence previously submitted by DWR. Therefore,
8 DWR relies upon the Hearing Officers granting of SVWU's objection to DWR-1143 to now
9 object to the very same aspects of the modeling data being moved into evidence here.

10
11 SVWU contends that their motion should be granted because it will simplify cross-
12 examination of Part 2 rebuttal witnesses. Their modeling does need to be admitted into
13 evidence to be used as a cross-examination exhibit. Many parties have produced cross-
14 examination exhibits that were not previously entered into evidence. In fact, some cross-
15 examination exhibits have never been entered into evidence even after being used.

16
17 Again, should SVWU, any other party, or the Hearing Officers or hearing staff wish
18 to explore a complete set of CALSIM modeling results, those are found within DWR-1077.
19 If SVWU seeks to offer into evidence a reformatted subset of this information, they should
20 do so through the proper process of submitting it in a timely fashion with testimony.

21
22
23 Dated: July 25, 2018

24 
25 _____
26 James "Tripp" Mizell
27
28